

## Communicability in complex networks

Ernesto Estrada<sup>1,\*</sup> and Naomichi Hatano<sup>2</sup><sup>1</sup>*Complex Systems Research Group, X-rays Unit, RIAIDT, Edificio CACTUS, University of Santiago de Compostela, 15076 Santiago de Compostela, Spain*<sup>2</sup>*Institute of Industrial Science, University of Tokyo, 4-6-1 Komaba, Meguro, Tokyo 153-8505, Japan*

(Received 21 August 2007; published 11 March 2008)

We propose a new measure of the communicability of a complex network, which is a broad generalization of the concept of the shortest path. According to the new measure, most of the real-world networks display the largest communicability between the most connected (popular) nodes of the network (assortative communicability). There are also several networks with the disassortative communicability, where the most “popular” nodes communicate very poorly to each other. Using this information we classify a diverse set of real-world complex systems into a small number of universality classes based on their structure-dynamic correlation. In addition, the new communicability measure is able to distinguish finer structures of networks, such as communities into which a network is divided. A community is unambiguously defined here as a set of nodes displaying larger communicability among them than to the rest of the nodes in the network.

DOI: [10.1103/PhysRevE.77.036111](https://doi.org/10.1103/PhysRevE.77.036111)

PACS number(s): 89.75.Fb, 89.75.Hc, 02.10.Ox, 87.10.-e

### I. INTRODUCTION

Complex networks represent interactions between pairs of units in disparate physical, biological, technological, and social systems [1–4]. A focus of research in this field is the search of good measures, global or local, that quantify unique characteristics of the networks [5–7]. Most of the measures currently in use are based on the shortest paths connecting two units (nodes) of a network [5–7]. Their relevance rests on the premise that communication between the nodes takes place through the shortest paths [8–10].

At a local scale, the shortest path is often used to identify network communities [11,12] or to characterize the importance of the nodes in a network [13]. For instance, the boundaries of a community are commonly defined [11] on the basis of the influence of a node over the flow of information between other nodes, assuming that this flow primarily follows the shortest paths. At a global scale, the use of many concepts like the average shortest path length [14], the degree-degree correlations [15], and the degree distribution [16] emphasizes the “communicability” through the shortest paths. Communicability must be understood here as capable of being easily communicated or transmitted in terms of passage or means of passage between the different nodes in a network.

However, “information” can, in fact, spread along non-shortest paths [14,17]. We can think, for instance, of gossip spreading in a social network, where the information can flow back and forward several times before reaching the final destination. Consequently, concepts such as “small worldness” [18], “assortativeness” [19], or “scale-freeness” [16] can miss important information on the network communicability as well as on finer structures of the network depending on it [20].

Motivated by this consideration, we propose in Sec. II a new definition of communicability in complex networks. The

definition takes nonshortest walks into account with appropriate weights. We then show in Sec. III that the definition is, in fact, equivalent to thermal Green’s function on the network. We argue in Sec. IV that the present definition of the communicability indeed characterizes complex networks, using explicit examples. In Sec. V, we also show that our communicability is useful in identifying communities in complex networks. In closing, we introduce a new measure that characterizes the communicability in complex networks having several added values, such as its physical significance and utility in characterizing the structure-dynamics relationship, classification of networks in universal classes, and the detection of community structure in complex networks.

### II. COMMUNICABILITY IN COMPLEX NETWORKS

#### A. Definition

We consider networks represented by simple graphs  $G = (V, E)$ ; that is, graphs having  $|V|=n$  nodes and  $|E|=m$  links, without self-loops or multiple links between nodes. Let  $A(G)=A$  be the adjacency matrix of the graph whose elements  $A_{ij}$  are ones or zeroes if the corresponding nodes  $i$  and  $j$  are adjacent or not, respectively. We call the eigenvalues of the adjacency matrix in the nonincreasing order  $\lambda_1 \geq \lambda_2 \geq \dots \geq \lambda_n$ , the spectrum of the graph [21].

It is well known that the  $(p, q)$  entry of the  $k$ th power of the adjacency matrix,  $(A^k)_{pq}$ , gives the number of walks of length  $k$  starting at the node  $p$  and ending at the node  $q$  [21]. A walk of length  $k$  is a sequence of (not necessarily different) vertices  $\nu_0, \nu_1, \dots, \nu_{k-1}, \nu_k$  such that for each  $i=1, 2, \dots, k$  there is a link from  $\nu_{i-1}$  to  $\nu_i$ . Consequently, these walks communicating two nodes in the network can revisit nodes and links several times along the way, which is sometimes called “backtracking walks.” In contrast, a path is a sequence of different vertices.

The *communicability* between a pair of nodes in a network is usually considered as the shortest path connecting both nodes. We now propose a generalization of the commu-

---

\*Corresponding author; FAX: +34 981 547 077; [estrada66@yahoo.com](mailto:estrada66@yahoo.com)

nicability by accounting not only for the shortest paths communicating the nodes  $p$  and  $q$  but also for all the other walks that permit for a “particle” to travel from one to the other.

The theoretical justification for this consideration is twofold. First, it is known that communication between a pair of nodes in a network does not always take place through the shortest paths but it can follow nonshortest paths. The other justification is that the shortest paths are not very sensitive with respect to the appearance of structural bottlenecks in a network. On the contrary, the number of walks is significantly affected by the appearance of such structural changes in a network.

Our strategy here is to make longer walks have lower contributions to the communicability function than shorter ones. If  $P_{pq}^{(s)}$  is the number of the shortest paths between the nodes  $p$  and  $q$  having length  $s$ , and  $W_{pq}^{(k)}$  is the number of walks connecting  $p$  and  $q$  of length  $k > s$ , we propose to consider the quantity

$$G_{pq} = \frac{1}{s!} P_{pq} + \sum_{k>s} \frac{1}{k!} W_{pq}^{(k)}. \quad (1)$$

While a shortest path represents only a single path that communicates both nodes, our approach considers all ways in which we can reach the target node  $q$  starting our walk at the node  $p$ . As some of these “detours” can be very long, the summation is weighted in decreasing order of the length of the walk.

Using the connection between the powers of the adjacency matrix and the number of walks in the network, we obtain

$$G_{pq} = \sum_{k=0}^{\infty} \frac{(A^k)_{pq}}{k!} = (e^A)_{pq}. \quad (2)$$

This can be further rewritten in terms of the graph spectrum as [22]

$$G_{pq} = \sum_{j=1}^n \varphi_j(p) \varphi_j(q) e^{\lambda_j}, \quad (3)$$

where  $\varphi_j(p)$  is the  $p$ th element of the  $j$ th orthonormal eigenvector of the adjacency matrix associated with the eigenvalue  $\lambda_j$  [21]. We call  $G_{pq}$  the communicability between the nodes  $p$  and  $q$  in the network.

### B. Bounds

Intuitively, the communicability should be minimal between the end nodes of a linear chain. In fact, the communicability between the end nodes of a chain vanishes as the length of the chain is increased. The oscillation of one end dies out before it reaches the other end. On the other hand, if we consider a complete graph, where every node is connected to all other nodes, the communicability between an arbitrary pair of nodes diverges as the size of the graph is increased. The oscillation is greatly amplified because of the infinitely many walks between the nodes. Thus, the communicability between a pair of nodes in a network is bounded between zero and infinity, which are obtained for the two end

nodes of an infinite linear chain and for a pair of nodes in an infinite complete graph.

This intuition can be proved mathematically as follows. It is known that the eigenvalues and eigenvectors of a linear chain of  $n$  nodes  $P_n$  are given by the following expressions [23]:

$$\lambda_j = 2 \cos\left(\frac{j\pi}{n+1}\right) \quad \text{and} \quad \varphi_j(p) = \sqrt{\frac{2}{n+1}} \sin\left(\frac{pj\pi}{n+1}\right). \quad (4)$$

Then the value of  $G_{pq}$  for the chain  $P_n$  is equal to

$$G_{pq} = \frac{1}{n+1} \sum_j \left( \cos \frac{j\pi(p-q)}{n+1} - \cos \frac{j\pi(p+q)}{n+1} \right) \times e^{2 \cos [j\pi/(n+1)]}. \quad (5)$$

Let  $P_\infty$  be a chain of infinite length. It is straightforward to realize by simple substitution in Eq. (5) that  $G_{1,\infty} = 0$  for the end nodes  $p=1$  and  $q=\infty$ .

It is easy to show that the communicability between a pair of nodes in the complete graph  $K_n$ , where every pair of nodes is connected to each other, diverges with the graph size. The eigenvalues of  $K_n$  are  $n-1$  and  $-1$  with multiplicity  $N-1$  [23]. Because the eigenvectors are orthonormalized, we can represent them as the columns of an orthogonal matrix  $\mathbf{Q}$ . Then, by the properties of an orthogonal matrix we have that  $\mathbf{Q}^T \mathbf{Q} = \mathbf{Q} \mathbf{Q}^T = \mathbf{I}$ . The second part of this expression means that the product of any two rows of  $\mathbf{Q}$  is equal to zero, which can be written as  $\sum_{j=1}^n \varphi_j(p) \varphi_j(q) = 0$ .

Then, because  $\varphi_1 = 1/\sqrt{n(1 \cdots 1)}$  is the normalized eigenvector associated to the eigenvalue  $n-1$ , the previous equality immediately implies that  $\sum_{j=2}^n \varphi_j(p) \varphi_j(q) = -(1/n)$ . We hence obtain

$$G_{pq} = \frac{e^{n-1}}{n} + e^{-1} \sum_{j=2}^n \varphi_j(p) \varphi_j(q) = \frac{e^{n-1}}{n} - \frac{1}{ne} = \frac{1}{ne} (e^n - 1). \quad (6)$$

It is easy to see that  $G_{pq} \rightarrow \infty$  as  $n \rightarrow \infty$  for  $K_n$ .

### III. COMMUNICABILITY AS THE GREEN'S FUNCTION OF NETWORKS

We now argue that the communicability defined above is actually the Green's function of the network. For a given network with the adjacency matrix  $A$ , imagine the following system. We have a spring on each link of the network. We somehow put the network of springs on a plane, adjusting the natural length of the springs so that the system may be at rest on the plane. Each node can oscillate in the direction perpendicular to the plane. The  $p$ th node, when at height  $z_p$ , feels the force  $K \sum_q (z_p - z_q) A_{pq}$ , where  $K$  is the common spring constant, because the  $p$ th node is connected by a spring to the  $q$ th node only if  $A_{pq} = 1$ . We also add a special spring connecting each node to the ground, creating a force  $-2Kk_p z_p$ , where  $k_p$  is the degree of the  $p$ th node, or the number of links attached to the  $p$ th node. In other words, the potential energy for the  $p$ th node is given by

$$U_p = \frac{K}{2} \sum_q (z_p - z_q)^2 A_{pq} - K k_p z_p^2, \quad (7)$$

and hence the total energy is given by

$$E = \sum_p U_p = \frac{K}{2} \sum_{p,q} (z_p - z_q)^2 A_{pq} - K \sum_p k_p z_p^2, \quad (8)$$

which after some algebraic manipulation is transformed to the expression

$$E = -K \sum_{p,q} z_p A_{pq} z_q. \quad (9)$$

The partition function is given by

$$Z = \sum_{\text{all configurations}} e^{-\beta E} = \int \exp\left(\beta K \sum_{p,q} z_p A_{pq} z_q\right) \prod_q dz_q. \quad (10)$$

We can transform the partition function in terms of the normal modes. Suppose that we diagonalize the adjacency matrix  $\mathbf{A}$  in the form  $\sum_q A_{pq} \varphi_j(q) = \lambda_j \varphi_j(p)$ . Then the partition function (10) is transformed to

$$Z = \int \exp\left(\beta K \sum_j \lambda_j u_j^2\right) \prod_j du_j, \quad (11)$$

where  $u_j = \sum_q z_q \varphi_j(q)$ . The integration in Eq. (11) is now possible, being the product of Gaussian integrals.

Let us now calculate the correlation function, or the (thermal) Green's function

$$G_{pq}(\beta) = \langle z_p z_q \rangle = \frac{1}{Z} \int z_p z_q \exp\left(\beta K \sum_{s,t} z_s A_{st} z_t\right) \prod_r dz_r. \quad (12)$$

After the same transformation above, we obtain

$$G_{pq}(\beta) = \langle z_p z_q \rangle = \sum_j \varphi_j(p) \varphi_j(q) e^{\beta K \lambda_j} = \sum_{k \geq s} \frac{\beta^k}{k!} W_{pq}^{(k)}. \quad (13)$$

This describes how much the  $q$ th node oscillates when we shake the  $p$ th node.

In general, the Green's function expresses how an impact propagates from one place to another place. In this sense, Eq. (13) is nothing but the Green's function of the network. From another point of view, we can consider particle diffusion on the complex network. Then the Green's function (13) describes how many particles end up at the  $q$ th node if we put particles at the  $p$ th node.

We can make another connection of the communicability to the Green's function by considering a continuous-time quantum walk on the network. Take a quantum-mechanical wave function  $|\psi(t)\rangle$  at time  $t$ . It obeys the Schrödinger equation [22]

$$i\hbar \frac{d}{dt} |\psi(t)\rangle = -\mathbf{A} |\psi(t)\rangle, \quad (14)$$

where we use the adjacency matrix as the negative Hamiltonian.

Assuming from now on that  $\hbar=1$  we can write down the solution of the time-dependent Schrödinger equation (14) in the form  $|\psi(t)\rangle = e^{i\mathbf{A}t} |\psi(0)\rangle$ . The final state  $e^{i\mathbf{A}t} |q\rangle$  is a state of the graph that results after time  $t$  from the initial state  $|q\rangle$ . The particle that resided on the node  $q$  at time  $t=0$  diffuses for the time  $t$  because of the quantum dynamics. Then, we can obtain the amplitude that the particle ends up at the node  $p$  of the network by computing the product  $\langle p | e^{i\mathbf{A}t} |q\rangle$ . By continuation from the real time  $t$  to the imaginary time, we have the thermal Green's function defined as  $G_{pq} = \langle p | e^{\beta \mathbf{A}} |q\rangle$ , which is the communicability between nodes  $p$  and  $q$  in the network as defined in this work. Consequently, the communicability between nodes  $p$  and  $q$  in the network represents the probability that a particle starting from the node  $p$  ends up at the node  $q$  after wandering on the complex network due to the thermal fluctuation. By regarding the thermal fluctuation as some forms of random noise, we can identify the particle as an information carrier in a society or a needle in a drug-user network.

#### IV. STRUCTURE-DYNAMICS RELATIONSHIPS

In order to investigate the structure-dynamics relationship in complex networks, we use the correlation between the node degree and the communicability (the Green's function). The node degree  $k_p$  is one of the simplest topological characteristics of a network defined as the number of links attached to a node. The correlation can be observed in the form of three-dimensional contours where  $k_p$  and  $k_q$  form the  $x$  and  $y$  axes, and  $G_{pq}$  is plotted as the  $z$  axis. We then fit the data points by using the weighted least square method, which is implemented in the `STATISTICA` package. This method is similar to the one proposed by McLain for drawing contours from arbitrary data points [24].

##### A. Structure characterization

A network can display a homogeneous distribution of the nodes in a way that two arbitrary regions of the network display similar organizational characteristics. Such a network is characterized by the lack of highly interconnected regions or clusters separated from one another by a few or nodes or links, which are known as bottlenecks. In Fig. 1 (a) we illustrate a hypothetical network displaying structural homogeneity, where two different regions show similar topological characteristics when magnified. In these networks a plot of a property characterizing the local neighborhood around a node should scale perfectly to another property characterizing the global topology of the network. In other words, what you see locally is what you get globally. It is necessary to comment here that the lack of structural bottlenecks in a homogeneous network does not imply the lack of communities in such a network. Thus, we can observe communities of




FIG. 1. (Color online) Simple illustration of networks with homogeneous and nonhomogeneous structures as well as their typical scaling between a local and a global property of nodes.

highly interconnected nodes which are well communicated from one another by a few links.

On the other hand, there are networks formed by two or more clusters of highly interconnected nodes separated by bottlenecks. Consequently, we can find different regions in

the network which display very different topological characteristics. For instance, one of them can be a cluster of nodes very tightly connected and another can be formed by a bottleneck connecting two small chunks of the network as illustrated in Fig. 1 (b). These networks are characterized by a lack of scaling between a local and a global topological characterization of the network; that is, what you see locally is not what you get globally.

### B. Quantitative determination of network homogeneity

In order to determine whether a network is homogeneous we start by characterizing the neighborhood of a node by means of the *subgraph centrality* [25]. The subgraph centrality is defined as [25]

$${}^S C(i) = \sum_{j=1}^N [\varphi_j(i)]^2 e^{\lambda_j}. \quad (15)$$

Then, expressing the exponential in terms of hyperbolic functions we can express the subgraph centrality as the sum of two terms characterizing the odd and even contributions [26]

$$\begin{aligned} {}^S C(i) &= {}^S C_{\text{odd}}(i) + {}^S C_{\text{even}}(i) \\ &= \sum_{j=1}^N [\varphi_j(i)]^2 \sinh(\lambda_j) + \sum_{j=1}^N [\varphi_j(i)]^2 \cosh(\lambda_j). \end{aligned} \quad (16)$$

It is straightforward to realize that we can write odd subgraph centrality in the following form:

$${}^S C_{\text{odd}}(i) = [\varphi_1(i)]^2 \sinh(\lambda_1) + \sum_{j=2}^N [\varphi_j(i)]^2 \sinh(\lambda_j), \quad (17)$$

where  $\lambda_1$  and  $\varphi_1$  are the principal (Perron-Frobenius) eigenvalue and eigenvector of the network, respectively. This expression can be represented in a logarithmic scale in the following form (through the whole paper we will use base-10 logarithms designated as  $\log = \log_{10}$ ):

$$\begin{aligned} \log \varphi_1(i) &= 0.5 \log \left[ {}^S C_{\text{odd}}(i) - \sum_{j=2}^N [\varphi_j(i)]^2 \sinh(\lambda_j) \right] \\ &\quad - 0.5 \log[\sinh(\lambda_1)]. \end{aligned} \quad (18)$$

This expression can be represented as a straight line in a plot of  $\log \varphi_1(i)$  versus  $\log\{[\varphi_1(i)]^2 \sinh(\lambda_1)\}$ , with a slope of 0.5 and intercept of  $-0.5 \log[\sinh(\lambda_1)]$  [27].

Now, let us consider a homogeneous network defined in the following way. A network is considered to be homogeneous if every subset  $S$  of nodes ( $S \leq 50\%$  of the nodes) has a neighborhood that is larger than some “expansion factor”  $\phi$  multiplied by the number of nodes in  $S$ . A neighborhood of  $S$  is the set of nodes which are linked to the nodes in  $S$  [28]. Formally, for each vertex  $\nu \in V$  (where  $V$  is the set of nodes in the network), the neighborhood of  $\nu$ , denoted as  $\Gamma(\nu)$  is defined as  $\Gamma(\nu) = \{u \in V | (u, \nu) \in E\}$  (where  $E$  is the set of links in the network). Then, the neighborhood of a subset  $S \subseteq V$  is defined as the union of the neighborhoods of the nodes in  $S$ :  $\Gamma(S) = \cup_{\nu \in S} \Gamma(\nu)$  and the network has good ex-

pansion if  $\Gamma(\nu) \geq \phi|S| \forall S \subseteq V$  [28]. This definition of network homogeneity is in agreement with our intuitive idea illustrated in Fig. 1(a); that is, a network is homogeneous if what you “see” locally is what you get globally. These homogeneous graphs are known in the literature as *good expanders*.

It has been proven [28] that graphs with very large spectral gap  $\lambda_1 \gg \lambda_2$  are very good expanders. In this case it is easy to see that [27,29]

$$[\varphi_1(i)]^2 \sinh(\lambda_1) \gg \sum_{j=2}^N [\varphi_j(i)]^2 \sinh(\lambda_j) \quad (19)$$

and

$${}^S C_{odd}(i) \approx [\gamma_1(i)]^2 \sinh(\lambda_1). \quad (20)$$

Consequently, those networks displaying homogeneous characteristics as defined by the good expansion character dis-

play a perfect spectral scaling between  $\log \varphi_1(i)$  and  $\ln {}^S C_{odd}(i)$  [27] as follows:

$$\log \varphi_1(i) = 0.5 \log {}^S C_{odd}(i) - 0.5 \log[\sinh(\lambda_1)]. \quad (21)$$

In summary, if we obtain a perfect straight line when plotting  $\log \varphi_1(i)$  versus  $\log\{[\varphi_1(i)]^2 \sinh(\lambda_1)\}$ , with a slope of 0.5 and intercept of  $-0.5 \log[\sinh(\lambda_1)]$ , the network has good expansion character and consequently, it is homogeneous. If the plot displays a dispersion of points the corresponding network is not homogeneous. These two cases correspond to the hypothetical plots illustrated in Fig. 1. Then, the deviation from the perfect straight line  $\xi(G)$  in the spectral scaling plot can be considered as a quantitative measure of the homogeneity of a network. A perfectly homogeneous network will have  $\xi(G)=0$ ; the higher the value of  $\xi(G)$  the larger the departure of the network from homogeneous properties [30].

$$\xi(G) = \sqrt{\frac{1}{N} \sum_{i=1}^N \{ \log[\varphi_1(i)] - [\log[\sinh(\lambda_1)]^{-0.5} + 0.5 \log[{}^S C_{odd}(i)]] \}^2}. \quad (22)$$

### C. Degree-communicability correlations

According to the degree-communicability pattern, networks can be classified in any of the following four theoretically possible classes: (a) nonhomogeneous networks with assortative communicability, (b) nonhomogeneous networks with disassortative communicability, (c) homogeneous networks with assortative communicability, and (d) homogeneous networks with disassortative communicability.

Disassortative communicability (DC) is the pattern in which the largest communicability occurs between the most connected nodes (hubs) and nodes of low degree. In DC the communicability between hubs is very poor as well as among nodes of low degree. Assortative communicability (AC) is the characteristic of a network of communicating according to an assortative pattern, in which the largest communicability takes place among the hubs and the lowest communicability occurs between nodes of low degree.

We start by considering the first three possible types of networks according to their degree-communicability patterns, i.e., (a), (b), and (c). First, we build three possible toy network structures, which are shown in Fig. 2 together with their  $(k_p, k_q, G_{pq})$  plots for every pair of nodes  $(p, q)$ . These graphs are built for illustration and are neither the result of an empirical search nor of a simulation. The node degree  $k_p$  denotes the number of the links attached to the node  $p$ .

In Fig. 2(a) we illustrate a hypothetical network formed by two communities of nodes with high internal connectivity, which are separated by very few nodes or links. This network will display a nonhomogeneous structure due to the obvious presence of the node or link bottlenecks. In some situations, networks with bottlenecks can display AC. Two

typical examples are a network where most of the hubs are located in one of the tightly connected clusters and a network where the hubs are the bottlenecks. In such cases as the one illustrated in Fig. 2(a) the networks will display nonhomogeneous structure with assortative communicability between the nodes.

The contour plot in Fig. 2(b) might appear to be counterintuitive. In social networks terminology [13], it is equivalent to saying that the most popular people are poorly communicated among them. This situation emerges when there are a couple of leaders, each of whom forms a community of many followers. The communication between the communities can be bad, and hence there is poor communicability between the leaders. This example represents a hypothetical illustration of a nonhomogeneous network with disassortative communicability between nodes.

The third contour plot in Fig. 2 fits intuitive interpretation; the communicability  $G_{pq}$  is high between pairs of hubs, or nodes of high degree. AC can appear in very homogeneous networks where the hubs can communicate to each other without structural bottlenecks [see Fig. 2(c)].

Finally, we have to consider a fourth hypothetical type of network, which has not been represented in Fig. 2. This class corresponds to the homogeneous networks having disassortative communicability between the nodes. By definition in a homogeneous network like the ones considered here, i.e., good expansion networks, there are not communities of highly interconnected nodes separated by few nodes or links acting as structural bottlenecks. Consequently, all the hubs in the network are well communicated to each other as they are in the same cluster of highly interconnected nodes. As a result there will be a large hub-hub communicability, which in




FIG. 2. Illustration of three different organizations of nodes in networks and their communicability patterns. The contour plot represents the relative communicability between every pair of nodes as a function of their degrees  $(k_p, k_q)$ . (a) Superhomogeneous network where the information can flow among hubs without passing through structural bottlenecks. A superhomogeneous network displays the largest communicability between the most connected nodes (gray nodes) and the lowest communicability between the nodes of low degree (white nodes), i.e., assortative communicability. (b) Network formed by two (or more) clusters of highly interconnected nodes which have very few intercluster connections (bottleneck). In this case the hubs (gray nodes) of one cluster are directly connected to the hubs of the other. Consequently, the communicability pattern is of the assortative (AC) type. (c) Network with two (or more) clusters in which the “information” arising at the hubs (gray nodes) of one cluster needs to travel through the bottleneck to reach the hubs (gray nodes) of the other cluster. This network displays an “atypical” disassortative communicability pattern in which hubs are better communicated with nodes of low degree and the interhub communicability is poor.

any case is expected to be larger than the communicability between hubs and low-degree nodes. In summary, we conclude that it is not possible to build homogeneous networks with disassortative communicability between nodes. More work should be done in this direction, particularly for searching for theoretical justification for this empirical observation.

**D. Empirical analysis of real-world networks**

In this work we study 50 real-world networks of different sizes and types, e.g., informational, technological, social, biological, and ecological [31]. Our empirical analysis of these networks shows that there is 52%, 12%, 36%, and 0% of networks in each of the four classes previously defined, respectively [see Table I where we also give the values of  $\xi(G)$ ]. In Fig. 3 we show contour plots for some of these

real-world networks: (a) the airport network in the USA, (b) the semantic network of the Roget’s thesaurus, (c) the food web of Bridge Brook, (d) the direct transcription network between genes of yeast (*S. cerevisiae*), (e) the social network of injecting drug users (IDUs), and (f) the social network of people with HIV infection in Colorado Springs during the period of 1985–1999 [31].

The first two networks [Figs. 3(a) and 3(b)] clearly display AC. The USA airport network is characterized by the lack of topological bottlenecks [27]. This structural homogeneity results in the high interhub communicability of class (c) as in Fig. 2(a). The Roget’s thesaurus network also displays AC despite the fact that it is formed by several clusters separated by structural bottlenecks [27]. In this case, however, there is a preference of the hubs to be connected to other hubs, and hence we have class (a) as in Fig. 2(b).

The food web in Fig. 3(c) forms a homogeneous network without large structural bottlenecks [32]. However, this network shows very large preference of the hubs to be attached to low-degree nodes. Consequently, most of the interhub communication takes place by indirect routes decreasing the interhub communicability.

The last three cases, Figs. 3(d)–3(f), display some degrees of DC of class (b) as in Fig. 2(c); the largest communicability takes place between a hub and a node of low degree. They are highly clustered networks [27], but this characteristic alone is not able to explain their DC patterns. Networks such as the protein-protein interaction network of yeast and the transcription network of *E. coli* are also highly clustered [4] but display AC characteristics; they have different clusters but the hubs in each of them are directly connected to each other as in Fig. 2(b). Then, how can we have the DC patterns? The network of injecting drug users [Fig. 3(e)] has a core of tightly connected individuals that interchange needles among them. This core is formed by several hubs, i.e., individuals that share their needles with a large number of other users. These hubs interchange their needles among them giving rise to certain AC characteristics observed in the contour plot of Fig. 3(e). However, there are several other groups in the network led by other individuals with a large number of internal connections. These groups are almost isolated and communicate among them only through very few individuals. This gives rise to the DC characteristics observed in Fig. 3(e). In the case of the risk network of Colorado Springs there is not a highly interconnected core [33] and the network shows very clear DC characteristics.

**V. COMMUNICABILITY AND NETWORK COMMUNITIES**

We now present a method of analyzing the structure of a complex network. More specifically, we show how we can identify network communities by using the communicability, or the Green’s function. Community identification has been an active area of research in complex networks [11,12,34–38].

In order to make further analysis, we now use the spectral decomposition of the Green’s function [3]. Imagine again that the network has a spring on each link as was described in Sec. III. Each eigenvector indicates a mode of oscillation

TABLE I. Real-world complex networks classified according to their structure-dynamics correlations.

Class I <sup>a</sup>	$\xi(G)$	Class II <sup>a</sup>	$\xi(G)$	Class III <sup>b</sup>	$\xi(G)$
Roget	0.230	Drugs	1.390	ODLIS	$1.55 \times 10^{-5}$
SciMet	0.102	Zachary	0.066	Centrality	$9.26 \times 10^{-5}$
GD <sup>c</sup>	0.465	Trans-yeast	0.796	USAir97	$9.04 \times 10^{-5}$
Electronic1 <sup>c</sup>	0.743	Protein3	1.200	Internet-97	$1.18 \times 10^{-3}$
Electronic2	0.746	XMMS	1.218	Internet-98	$9.90 \times 10^{-4}$
Electronic3	1.030	ColoSpgs	0.802	Neurons	$2.70 \times 10^{-4}$
Abi	0.281			Ythan1	$1.50 \times 10^{-3}$
MySQL	1.666			Ythan2	$2.92 \times 10^{-3}$
Digital <sup>c</sup>	0.323			St. Marks	$2.90 \times 10^{-3}$
VTK <sup>c</sup>	0.140			Bridge Brook <sup>c</sup>	$9.00 \times 10^{-3}$
Corporate	0.053			Benguela	$6.30 \times 10^{-3}$
Prison <sup>c</sup>	0.228			El Verde	$4.50 \times 10^{-5}$
Geom	0.452			St. Martin	$1.50 \times 10^{-3}$
College	0.073			Little Rock	$3.72 \times 10^{-5}$
PIN-1	0.141			Coachella	$7.18 \times 10^{-5}$
PIN-2 <sup>c</sup>	0.104			Skipwith	$6.16 \times 10^{-5}$
PIN-3	1.070			Reef Small	$4.31 \times 10^{-5}$
Canton	0.183			Shelf	$6.75 \times 10^{-5}$
Stony	0.219				
Trans- <i>E. coli</i>	0.764				
Trans-Urchins	0.430				
Protein1	1.100				
Protein2	0.504				
Chesapeake	0.094				
Scotch Broom	0.020				
Grassland	0.518				

<sup>a</sup>The correlation coefficients are lower than 0.995 and the slope is significantly different from 0.5.

<sup>b</sup>The correlation coefficients are larger than 0.9998 and the slope is exactly equal to 0.5.

<sup>c</sup>Networks with some deviations from the perfect AC pattern. Class I: Nonhomogeneous networks with AC pattern. Class II: Nonhomogeneous networks with DC pattern. Class III: Homogeneous networks with AC pattern.

of the entire network and its eigenvalue represents the weight of the mode. It is known that the eigenvector of the largest eigenvalue  $\lambda_1$  has elements of the same sign. This means that the most important mode is the oscillation where all nodes move in the same direction at one time.

The second largest eigenvector  $\varphi_2$  has both positive and negative elements. Suppose that a network has two clusters connected through a bottleneck but each cluster is closely connected within. The second eigenvector represents the mode of oscillation where the nodes of one cluster move coherently in one direction and the nodes of the other cluster move coherently in the opposite direction. Then the sign of the product  $\varphi_2(p)\varphi_2(q)$  tells us whether the nodes  $p$  and  $q$  are in the same cluster or not.

The same analysis can be applied to the rest of the eigenvalues of the network. The third eigenvector  $\varphi_3$ , which is orthonormal to the first two eigenvectors, have a different pattern of signs, dividing the network into three different blocks after appropriate arrangement of the nodes. These three clusters are not necessarily independent of the two

clusters obtained by using the second largest eigenvector. For instance, in a network formed by three clusters  $A$ - $B$ - $C$ , where  $A$  and  $B$  are very large clusters and  $C$  is a small one, it is possible that the second largest eigenvector divides the network into the clusters  $A$  and  $B$ - $C$ . In addition, the third largest eigenvector divides the whole network into the three clusters  $A$ ,  $B$ , and  $C$ . In general, the second eigenvector divides the graph into biants, the third divides it into triants, the fourth into quadrants, and so forth, but these clusters are not necessarily independent of each other.

According to this pattern of signs we have the following decomposition of the communicability:

$$G_{pq} = \varphi_1(p)\varphi_1(q)e^{\lambda_1} + \sum_{j=2}^n \varphi_j^+(p)\varphi_j^+(q)e^{\lambda_j} + \sum_{j=2}^n \varphi_j^-(p)\varphi_j^-(q)e^{\lambda_j} + \sum_{j=2}^n \varphi_j^+(p)\varphi_j^-(q)e^{\lambda_j}, \quad (23)$$

where  $\varphi_j^+$  and  $\varphi_j^-$  refer to the eigenvector components with




FIG. 3. Communicability degree contour plots for several real-world networks. The first two plots are typical of networks with assortative communicability (AC) and the network structures correspond to cases like the ones illustrated in Figs. 2(a) and 2(b). The plot in (c) also corresponds to AC but due to the large preference of the hubs to be attached to low-degree nodes the interhub communicability is reduced. The last three cases correspond to typical disassortative communicability (DC) patterns. The corresponding networks have structures that match the topology illustrated in Fig. 2(c). (a) The airport network in the USA in 1997. (b) The semantic network of the Roget's thesaurus. (c) The food web of Bridge Brook. (d) The direct transcription network between genes of yeast. (e) The social network of injecting drug users. (f) The social network of people with HIV infection in Colorado Springs during the period of 1985–1999.

positive and negative signs, respectively. The first three terms on the right-hand side of Eq. (23) give positive contributions and the last term makes a negative contribution to the thermal Green's function. According to the partitions made by the pattern of signs of the eigenvectors in a graph, two nodes have the same sign in an eigenvector if they can be considered as being in the same partition of the network,

while those pairs having different signs correspond to nodes in different partitions. Thus, the second and third terms of Eq. (23) represent the *intracluster communicability* between nodes in the network and the last term represents the *intercluster communicability* between nodes. The last term must be more appropriately called the *intercluster separation* because it reflects the poor communicability between clusters.

However, we will abuse the language here to call it the *intercluster communicability* for the sake of the homogeneity of terms used.

The above consideration motivates us to define a quantity  $\Delta G_{pq}$  by subtracting the contribution of the largest eigenvalue  $\lambda_1$  from Eq. (23), or removing the background mode of translational movement. Then the positive contributions to the sum in  $\Delta G_{pq}$ , indicating that the nodes  $p$  and  $q$  are in the same cluster, represent the intracluster communicability. The negative contributions, on the other hand, indicate that the nodes  $p$  and  $q$  are in different clusters, and hence represent the intercluster communicability as follows:

$$\Delta G_{pq}(T) = \sum_{j=2}^{\text{intracluster}} \varphi_j(p)\varphi_j(q)e^{\beta\lambda_j} + \sum_{j=2}^{\text{intercluster}} \varphi_j(p)\varphi_j(q)e^{\beta\lambda_j}. \quad (24)$$

By focusing on the sign of  $\Delta G_{pq}$ , we can unambiguously define a community for a group of nodes. If  $\Delta G_{pq}$  for a pair of nodes  $p$  and  $q$  have a positive sign, they are in the same community. If  $\Delta G_{pq}$  for the two nodes have a negative sign they are in different clusters.

As the intercluster communicability has negative sign, we can rewrite Eq. (24) as follows:

$$\Delta G_{pq}(T) = \sum_{j=2}^{\text{intracluster}} \varphi_j(p)\varphi_j(q)e^{\beta\lambda_j} - \left| \sum_{j=2}^{\text{intercluster}} \varphi_j(p)\varphi_j(q)e^{\beta\lambda_j} \right|. \quad (25)$$

Our current approach differs significantly from the spectral clustering methods, which are based exclusively in the signs of the components of a given eigenvector of the adjacency or Laplacian matrices [39]. Other variants of this method have been proposed by using the eigenvectors of the nonsymmetric “normal” matrix [39] or the eigenvectors of the “modularity” matrix [40]. These methods are exclusively based on the eigenvectors of the corresponding matrices which induce clustering of connected nodes by partitioning the underlying graph. However, in the current approach we use a combination of eigenvalues and eigenvectors [see Eq. (24)] to account for the communicability between every pair of nodes (not only the connected ones).

As we are considering every pair of nodes in the network we can represent the network as a signed complete graph. A signed complete graph is a graph in which every pair of nodes is linked to each other and every link in the graph has a positive or negative sign. Thus, it is straightforward to realize that a community is a positive clique in the signed complete graph. A positive clique is a subgraph in which every pair of nodes is linked to each other and all links have a positive sign. Then, a community can be formally defined as the largest possible positive clique in the signed complete graph. Consequently, the method of detecting communities in a network is reduced to find these maximal positive cliques.

Figure 4(b) is the signed complete graph for the network in Fig. 4(a). In Fig. 4(c) we illustrate the four positive cliques




FIG. 4. (a) Illustration of the process of identifying communities in a simple network at the top of the figure. (b) A representation of the signed complete graph for the network in (a), where the black lines indicate negative  $\Delta G_{pq}$  and the gray fat ones indicate positive  $\Delta G_{pq}$ . (c) The four completely positive cliques existing in the network. (d) Identification of the communities by grouping the positive (gray) entries of the adjacency matrix. (e) Illustration of the different communities in the network and their overlapping.

extracted from this signed graph. The maximal positive clique that can be formed by the nodes 1, 2, 3, 4, and 5 is the 5-clique, which represents a community formed by the five nodes. However, the maximal positive cliques formed by the nodes 5, 6, and 7 are a couple of 2-cliques forming the clusters 3 and 4; there is not a positive 3-clique formed by these nodes.

By representing the signs of the values of  $\Delta G_{pq}$  in a matrix, we obtain a signed matrix as in Fig. 4(d). After appropriate rearrangement of the rows and columns of this matrix we see that every community is represented by a square posi-

tive submatrix. The communities found by applying this approach to the network in Fig. 4(a) are illustrated in Fig. 4(e), where we can see that the current method not only identifies simple communities but also their overlapping. In addition, the values of  $\Delta G_{pq}$  (not the sign) can be used as a criterion of the cohesiveness of a community. The larger the values of  $\Delta G_{pq}$ , the tighter the relation between the corresponding members of this community.

As an example of the real-world network, we consider a friendship network known as the Zachary karate club, which has 34 members (nodes) with some friendship relations (links). The members of the club, after some entanglement, were eventually fractioned into two groups, one formed by the followers of the instructor and the other formed by the followers of the administrator. The average communicability for this network are  $\langle G \rangle = 17.52$  and  $\langle \Delta G \rangle = -0.15$ , where  $\langle \dots \rangle$  stands for the average over all pairs of nodes. No pair of nodes has  $\Delta G_{pq} = 0$ ; most of the pairs (87%) have  $-2 \leq \Delta G_{pq} \leq 2$ , while the minimum is  $\Delta G_{pq} = -20.69$ .

Strictly speaking, a community is formed by a set of nodes with positive communicability among all of them. However, it might happen that two communities display a large number of nodes in common. Then, we can merge these two communities into a single one. We consider these two original communities as neighborhoods of the larger community. As a threshold here we use a value of 70% of overlapping between the nodes in two neighborhoods to consider them in the same community. Using this approach we identify unambiguously two communities. In Fig. 5, we plot the values of  $\Delta G_{pq}$  for every pair of nodes in the karate club network. As can be seen in Fig. 5, the instructor (the node 1) leads a group formed by the nodes represented at the bottom left part of the plot. On the other hand, the administrator (the node 34) is the leader of the other faction formed by the nodes represented at the top right part of the plot.

As is suggested in Fig. 4(e), the current approach permits the identification of the overlapping between communities of nodes pertaining to more than one group simultaneously. The real-world communities characteristically display some degree of overlapping to each other [37]. In the friendship network of the Zachary karate club, we identify two large communities, one formed by the followers of the instructor (the node 1) and the other formed by the followers of the administrator (the node 34). The nodes forming the instructor's faction (the red circles in Fig. 5) only form one community. That is, these individuals are tightly communicated to each other in one community lead by the instructor.

However, the followers of the administrator form a more fractioned community. Not all followers of the administrator communicate very well to each other. For instance,  $\Delta G_{25,31} = -0.0096$ ,  $\Delta G_{25,9} = -0.205$ , and  $\Delta G_{26,9} = -0.104$ . This gives rise to several overlapped neighborhoods among these groups of individuals as defined previously. For instance, in Fig. 6 we illustrate two of these neighborhoods in the community of the administrator. The first, in clear gray, is formed by all squared nodes except the nodes 9 and 31. The other neighborhood, in dark gray, is formed by all nodes except the nodes 25 and 26. The overlap between these two neighborhoods is represented in an intermediate gray tone. It is formed by those individuals who are simultaneously in both




FIG. 5. (Color online) The community structure of the Zachary karate club network. The two factions in which the network was divided are illustrated in different shapes of the nodes (and color online). The matrix plot illustrates the values of  $\Delta G_{pq}$  for every pair of nodes  $(p, q)$  in the network. A positive value of  $\Delta G_{pq}$  (dark contour) indicates that the pair of nodes is in the same community and a negative value of  $\Delta G_{pq}$  (clear contour) indicates that the pair is in different communities. The nodes are ordered according to their values of  $\Delta G_{pq}$  in decreasing order.

neighborhoods. There is still another neighborhood, not represented in Fig. 6, which is formed by all nodes except the nodes 9 and 25. In summary, our current approach identifies clearly the two communities empirically detected in this social network. In addition, it is able to identify the finer structure of each of these communities, which in the case of the community of administrator followers is formed by several small groups or neighborhoods.

## VI. DISCUSSION AND CONCLUSIONS

We have extended the concept of communicability in networks beyond the simple consideration of the shortest paths connecting nodes. Conventional definitions account only for the shortest paths as the communicability. The definition introduced here takes longer walks into account. The number




FIG. 6. Example illustrating the overlapping between two groups or neighborhoods formed among the followers of the administrator (node 34) in the Zachary karate club network.

of walks is measured through the powers of the adjacency matrix of the network. We define the communicability between two nodes by giving larger weights to the shorter walks and smaller weights to the longer walks. The shortest paths connecting two nodes always make the largest contribution to the communicability, but longer walks, greater in number, also have some contributions. Our definition permits the analytical calculation of the communicability from graph spectral theory as well as identification of this measure as the thermal Green's function of the network. In other words, the communicability function expresses how an impact propagates from one node to another in the network.

The use of our definition of network communicability has several unique features. We can obtain information about network structures at both global and local scales simultaneously, which has been identified as a promising route to explore complex networks [41]. We have shown that this information is critical to understanding the organization and evolution of complex networks. First, we have used this measure to investigate the structure-dynamic relationship in real-world complex networks. By analyzing the degree-communicability relations we have empirically discovered the existence of three universality classes of complex networks: the homogeneous networks which always display assortative communicability (AC) and the heterogeneous net-

works that can display either assortative or disassortative (DC) communicability. In AC networks the most connected nodes or hubs display the largest communicability among them following the common intuition. Less intuitive is the case of DC networks in which hubs are poorly communicated among them.

Network communicability also permits an unambiguous definition of a community in a network. A community is a set of nodes in the network displaying the largest internal communicability; that is, a group of nodes that communicate much better among them than with the rest of the nodes in the network. This definition enables analytical identification of communities in a network as has been illustrated here for the Zachary karate club. An interesting feature of this method is that it permits one to find overlapping communities in the network, which is closer to the real-life situation than the definition of isolated communities. In this respect there is a significant difference from the "classical" spectral partitioning method, also known as spectral clustering methods. These methods use the eigenvectors of a graph's adjacency or Laplacian matrix to build a geometric representation, which is then heuristically partitioned [39]. The current approach, however, uses a combination of all eigenvalues and eigenvectors to obtain information about the communicability between nodes and on this basis to find the communities or partitions of the graph. Because there are several spectral clustering methods, a comparison of the current approach with those methods is out the scope of the current work.

In closing, network communicability as defined here is a promising measure for analyzing topological and dynamical properties of graphs and networks. The information displayed by this graph theoretical measure is not duplicated by other existing measures and its facility of calculation will permit its application in many different areas of research using graphs and networks.

#### ACKNOWLEDGMENTS

We thank J. A. Dunne, R. Milo, U. Alon, J. Moody, V. Batagelj, J. Davis, J. Poterat, P. M. Gleiser, D. J. Watts, C. R. Myers, and C. Baysal for generously providing data sets. This work was partially supported by the "Ramón y Cajal" program, Spain. An excellent review by one anonymous referee contributed to a significantly improved presentation of this work. Comments and suggestions made by Dr. J. A. Rodriguez-Velzaquez to an early version of this work are acknowledged.

[1] S. H. Strogatz, *Nature (London)* **410**, 268 (2001).  
 [2] R. Albert and A.-L. Barabási, *Rev. Mod. Phys.* **74**, 47 (2002).  
 [3] L. A. N. Amaral and J. Ottino, *Eur. Phys. J. B* **38**, 147 (2004).  
 [4] A.-L. Barabási and Z. N. Oltvai, *Nat. Rev. Genet.* **5**, 101 (2004).  
 [5] M. E. J. Newman, *SIAM Rev.* **45**, 167 (2003).  
 [6] S. Boccaletti, V. Latora, Y. Moreno, M. Chavez, and D.-U.

Hwang, *Phys. Rep.* **424**, 175 (2006).  
 [7] L. da F. Costa, F. A. Rodríguez, G. Travieso, and P. R. Villa Boas, *Adv. Phys.* **56**, 167 (2007).  
 [8] D. J. Ashton, T. C. Jarret, and N. F. Johnson, *Phys. Rev. Lett.* **94**, 058701 (2005).  
 [9] A. Trusina, M. Rosvall, and K. Sneppen, *Phys. Rev. Lett.* **94**, 238701 (2005).

- [10] B. A. Huberman and L. A. Adamic, in *Complex Networks*, edited by E. Ben-Naim, H. Frauenfelder, and Z. Toroczkai, Lecture Notes in Physics Vol. 650 (Springer, Berlin, 2004), p. 371.
- [11] M. Girvan and M. E. J. Newman, Proc. Natl. Acad. Sci. U.S.A. **99**, 7821 (2002).
- [12] M. E. J. Newman, Proc. Natl. Acad. Sci. U.S.A. **103**, 8577 (2006).
- [13] S. Wasserman and K. Faust, *Social Network Analysis* (Cambridge University Press, Cambridge, 1994).
- [14] S. P. Borgatti, Soc. Networks **27**, 55 (2005).
- [15] V. Colizza, A. Flammini, M. A. Serrano, and A. Vespignani, Nat. Phys. **2**, 110 (2006).
- [16] A. L. Barabási and R. Albert, Science **286**, 509 (1999).
- [17] J. Hromkovic, R. Klasing, A. Pelc, P. Ruzicka, and W. Unger, *Dissemination of Information in Communication Networks: Broadcasting, Gossiping, Leader Election, and Fault Tolerance* (Springer, Berlin, 2005).
- [18] D. J. Watts and S. H. Strogatz, Nature (London) **393**, 440 (1998).
- [19] M. E. J. Newman, Phys. Rev. Lett. **89**, 208701 (2002).
- [20] R. Guimerá, M. Sales-Pardo, and L. A. N. Amaral, Nat. Phys. **3**, 63 (2007).
- [21] N. L. Biggs, *Algebraic Graph Theory* (Cambridge University Press, Cambridge, 1993).
- [22] P. M. Morse and H. Feshbach, *Methods of Theoretical Physics* (McGraw-Hill, New York, 1953), Chap. 7.
- [23] D. Cvetković, P. Rowlinson, and S. Simić, *Eigenspaces of Graphs* (Cambridge University Press, Cambridge, 1997).
- [24] D. H. McLain, Comput. J. **17**, 318 (1974).
- [25] E. Estrada and J. A. Rodríguez-Velázquez, Phys. Rev. E **71**, 056103 (2005).
- [26] E. Estrada and J. A. Rodríguez-Velázquez, Phys. Rev. E **72**, 046105 (2005).
- [27] E. Estrada, Europhys. Lett. **73**, 649 (2006).
- [28] S. Hoory, N. Linial, and A. Wigderson, Bull., New Ser., Am. Math. Soc. **43**, 439 (2006).
- [29] E. Estrada, Phys. Rev. E **75**, 016103 (2007).
- [30] E. Estrada, Eur. Phys. J. B **52**, 563 (2006).
- [31] See EPAPS Document No. E-PLLEE8-77-136802 for a detailed description of the complex networks studied and an appropriate reference list. For more information on EPAPS, See <http://www.aip.org/pubservs/epaps.html>.
- [32] E. Estrada, J. Theor. Biol. **244**, 296 (2007).
- [33] J. J. Poterat, L. Phillips-Plummer, S. Q. Muth, R. B. Rothenberg, D. E. Woodhouse, T. S. Maldonado-Long, H. P. Zimmerman, and J. B. Muth, Sex Transm. Infect. **78**, i159 (2002).
- [34] V. Spirin and L. A. Mirny, Proc. Natl. Acad. Sci. U.S.A. **100**, 12123 (2003).
- [35] F. Radicchi, C. Castellano, F. Cecconi, V. Loreto, and D. Parisi, Proc. Natl. Acad. Sci. U.S.A. **101**, 2658 (2004).
- [36] R. Guimerá and L. A. N. Amaral, Nature (London) **433**, 895 (2005).
- [37] G. Palla, I. Derényi, I. Farkas, and T. Vicsek, Nature (London) **435**, 814 (2005).
- [38] S. Fortunato and M. Barthélemy, Proc. Natl. Acad. Sci. U.S.A. **104**, 36 (2007).
- [39] A. J. Seary and W. D. Richards, Jr., in *Proceedings of the International Conference on Social Networks, London*, edited by M. G. Everett and K. Rennolds (Greenwich University Press, London, 1995), Vol. 1, p. 47.
- [40] M. E. J. Newman, Phys. Rev. E **74**, 036104 (2006).
- [41] A. Vázquez, R. Dobrin, D. Sergi, J.-P. Eckmann, Z. N. Oltvai, and A.-L. Barabási, Proc. Natl. Acad. Sci. U.S.A. **101**, 17940 (2004).